

Product Directory



Table of Contents

4	S4S Trimboard	20	Column Wrap
6	SurEdge Trimboard	22	Garage Door ThermoStop®
9	Prefinished Trimboard	24	Window & Door Trim
10	Conceal Trim System	26	Mouldings
14	Precision Cut Trimboard	41	FAQs
18	Sheet Board	45	Appendix
19	Nickel Gap/Shiplap, Beadboard & Wainscoting	54	Reference
		55	Notes



Tier Explanations*

Tier 1 (Indicated by •)

7 Days Ready-to-Ship

- Tough Pack Bundles and/or Standard Crate Quantities

Tier 2 (Indicated by •)

Specialty Produce-to-Order

Goal 21 Days Ready-to-Ship

- Standard bulk crate quantity (customer price sheet or established quantity on existing SKU)

*Tier levels subject to change - contact Customer Service to verify Tier level for specific product needs.

Royal Trim Board Packaging Options

All SurEdge, S4S & Sheet products come with standard protective shroud. Tough Pack and Protective Film are custom packing options. Please check with customer service for additional details.

Description	Bulk Unit/Shroud	Tough Pack (Shrink Wrap)	Protective Film	Corrugated
S4S	•	•		
SurEdge	•	•	•	
Conceal	•	•		•
Sheet	•		•	

S4S Trimboard

S4S 5/8" Smooth & Smooth/Woodgrain Reversible

Profile	Nominal Description	Actual Size	Length					
			7'	8'	10'	12'	16'	18'
2150	5/8 x 2	5/8" x 1 1/2" - Smooth Only	•	•		•	•	•
7827	5/8 x 4	5/8" x 3 1/2"		•	•	•	•	•
7828	5/8 x 6	5/8" x 5 1/2"	•	•	•	•	•	•
7829	5/8 x 8	5/8" x 7 1/4"			•	•	•	•
7830	5/8 x 10	5/8" x 9 1/4"			•	•	•	•
7831	5/8 x 12	5/8" x 11 1/4"			•	•	•	•

S4S 4/4" Smooth & Smooth/Woodgrain Reversible

Profile	Nominal Description	Actual Size	Length			
			7'	10'	16'	18'
7832	1 x 2	3/4" x 1 1/2"			•	•
7833	1 x 3	3/4" x 2 1/2"				•
7834	1 x 4	3/4" x 3 1/2"	•	•	•	•
7871	1 x 5	3/4" x 4 1/2"		•		•
7835	1 x 6	3/4" x 5 1/2"	•		•	•
7836	1 x 8	3/4" x 7 1/4"		•	•	•
7837	1 x 10	3/4" x 9 1/4"		•	•	•
7838	1 x 12	3/4" x 11 1/4"		•	•	•


* See Appendix for Pack Sizes and Weights. See Table of Contents for explanation of • & •

S4S Trimboard


S4S 5/4" Smooth & Smooth/Woodgrain Reversible

Profile	Nominal Description	Actual Size	Length					
			7'	8'	12'	16'	18'	20'
7874	5/4 x 3	1" x 2 1/2"					•	
7840	5/4 x 4	1" x 3 1/2"	•	•	•	•	•	•
7875	5/4 x 5	1" x 4 1/2"		•	•		•	•
7841	5/4 x 6	1" x 5 1/2"	•	•	•	•	•	•
7842	5/4 x 8	1" x 7 1/4"			•		•	•
7843	5/4 x 10	1" x 9 1/4"			•		•	•
7844	5/4 x 12	1" x 11 1/4"			•		•	•


* See Appendix for Pack Sizes and Weights. See Table of Contents for explanation of • & •



Reversible



Multiple Thicknesses



Multiple Widths

SurEdge Trimboard

SurEdge 5/8" Smooth & Smooth/Woodgrain Reversible

Profile	Nominal Description	Actual Size	Length	
			12'	18'
9759	5/8 x 4	5/8" x 3 1/2"	•	•
9760	5/8 x 6	5/8" x 5 1/2"	•	•
9761	5/8 x 8	5/8" x 7 1/4"	•	•
9762	5/8 x 10	5/8" x 9 1/4"	•	•
9763	5/8 x 12	5/8" x 11 1/4"	•	•
9784	5/8 x 14	5/8" x 13 1/4"	•	•
9764	5/8 x 16	5/8" x 15 1/4"		

SurEdge 4/4" Smooth & Smooth/Woodgrain Reversible

Profile	Nominal Description	Actual Size	Length	
			12'	18'
9766	1 x 3	3/4" x 2 1/2"	•	•
9767	1 x 4	3/4" x 3 1/2"	•	•
9768	1 x 5	3/4" x 4 1/2"	•	•
9769	1 x 6	3/4" x 5 1/2"	•	•
9770	1 x 8	3/4" x 7 1/4"	•	•
9771	1 x 10	3/4" x 9 1/4"	•	•
9772	1 x 12	3/4" x 11 1/4"	•	•
9788	1 x 14	3/4" x 13 1/4"	•	•
9773	1 x 16	3/4" x 15 1/4"		


* See Appendix for Pack Sizes and Weights. See Table of Contents for explanation of • & •

SurEdge Trimboard

SurEdge 5/4" Smooth & Smooth/Woodgrain Reversible

Profile	Nominal Description	Actual Size	Length		
			12'	18'	20'
9774	5/4 x 3	1" x 2 1/2"	•	•	•
9775	5/4 x 4	1" x 3 1/2"	•	•	•
9776	5/4 x 5	1" x 4 1/2"	•	•	•
9777	5/4 x 6	1" x 5 1/2"	•	•	•
9778	5/4 x 8	1" x 7 1/4"	•	•	•
9779	5/4 x 10	1" x 9 1/4"	•	•	•
9780	5/4 x 12	1" x 11 1/4"	•	•	•
9781	5/4 x 16	1" x 15 1/4"	•	•	•

* See Appendix for Pack Sizes and Weights. See Table of Contents for explanation of • & •





SurEdge Trimboard


SurEdge Trimboard 5/8”
Sand Dune - Color Through

Profile	Nominal Description	Actual Size	Length
9759	5/8 x 4	5/8” x 3 1/2”	•
9760	5/8 x 6	5/8” x 5 1/2”	•
9761	5/8 x 8	5/8” x 7 1/4”	•
9762	5/8 x 10	5/8” x 9 1/4”	•
9763	5/8 x 12	5/8” x 11 1/4”	•
9764	5/8 x 16	5/8” x 15 1/4”	•

* See Appendix for Pack Sizes and Weights. See Table of Contents for explanation of • & •



Available in Smooth or Woodgrain



Prefinished Trimboard


Prefinished Trimboard 5/8"

Profile	Nominal Description	Actual Size	Length 16'
9759	5/8 x 4	5/8" x 3 1/2"	•
9760	5/8 x 6	5/8" x 5 1/2"	•
9761	5/8 x 8	5/8" x 7 1/4"	•
9762	5/8 x 10	5/8" x 9 1/4"	•
9763	5/8 x 12	5/8" x 11 1/4"	•




Prefinished Trimboard 1"

Profile	Nominal Description	Actual Size	Length 16'
9767	1 x 4	3/4" x 3 1/2"	•
9769	1 x 6	3/4" x 5 1/2"	•
9770	1 x 8	3/4" x 7 1/4"	•
9771	1 x 10	3/4" x 9 1/4"	•
9772	1 x 12	3/4" x 11 1/4"	•



Prefinished Trimboard 5/4"

Profile	Nominal Description	Actual Size	Length 16'
9775	5/4 x 4	1" x 3 1/2"	•
9777	5/4 x 6	1" x 5 1/2"	•
9778	5/4 x 8	1" x 7 1/4"	•
9779	5/4 x 10	1" x 9 1/4"	•
9780	5/4 x 12	1" x 11 1/4"	•



* See Appendix for Pack Sizes and Weights. See Table of Contents for explanation of • & •

Conceal Trim System

Conceal Outside Corners - Smooth or Woodgrain

Profile	Description	Actual Size	1" Pocket	Length 10' 20'
9718	1 x 6 Traditional	5 5/8" x 5 5/8"		• •
7971	5/4 x 4 Traditional	3 11/16" x 3 11/16"		• •
7973	5/4 x 6 Traditional	5 11/16" x 5 11/16"		• •
7972	5/4 x 4 Rabbeted	3 11/16" x 3 11/16"	•	• •
7970	5/4 x 6 Rabbeted	5 11/16" x 5 11/16"	•	• •


Conceal J-Channel Trim & Window Surrounds - Smooth or Woodgrain

Profile	Description	Actual Size	1" Pocket	Length 18'
9706	5/4 x 4 Rabbeted	1" x 3 1/2"	•	•
7994	5/4 x 6 Rabbeted	1" x 5 1/2"	•	•
9707	5/4 x 8 Rabbeted	1" x 7 1/4"	•	•
9914	5/4 x 10 Rabbeted	1" x 10 1/4"	•	•
9794	5/4 x 4 New Construction Surround	1" x 3 1/2"	•	•
9795	5/4 x 6 New Construction Surround	1" x 5 1/2"	•	•
9800	5/4 x 4 New Construction Surround	1" x 3 1/2"		•
9801	5/4 x 6 New Construction Surround	1" x 5 1/2"		•
9816	1 x 4 New Construction Surround	3/4" x 3 1/2"		•
9817	1 x 5 New Construction Surround	3/4" x 4 1/2"		•
9818	1 x 6 New Construction Surround	3/4" x 5 1/2"		•





* See Appendix for Pack Sizes and Weights. See Table of Contents for explanation of • & •

Conceal Trim System

Conceal Outside Corners



Conceal Trim



Conceal Trim System

Conceal Skirt Boards & Water Tables - Smooth or Woodgrain

Profile	Description	Actual Size	Length
9703	1 x 6 Skirt Board	3/4" x 5 1/2"	18' •
9704	1 x 8 Skirt Board	3/4" x 7 1/4"	•
9705	1 x 10 Skirt Board	3/4" x 9 1/4"	•
9700	5/4 x 4 Skirt Board	1" x 3 1/2"	•
7993	5/4 x 6 Skirt Board	1" x 5 1/2"	•
9701	5/4 x 8 Skirt Board	1" x 7 1/4"	•

Conceal Water Tables - Smooth

Profile	Description	Actual Size	Length
9796	Standard Water Table	1 5/8" x 2 9/16" - 14° Slope, Smooth Only	16' •
9719	Stone Water Table	3 1/8" x 3 3/4" - 14° Slope, Smooth Only	•
9953V	V-Stone Water Table**	2 3/4" x 2 1/2"	•

Conceal T-Moulds - Smooth or Woodgrain

Profile	Description	Actual Size	1" Pocket	Length
9833	5/8 x 4 T-Mould	5/8" x 3 1/2"		18'
9835	5/4 x 4 T-Mould	1" x 3 1/2"	•	•
9831	5/4 x 6 T-Mould	1" x 5 1/2"	•	•
9832	5/4 x 8 T-Mould	1" x 7 1/4"	•	•
			•	•

* See Appendix for Pack Sizes and Weights. See Table of Contents for explanation of • & •


** Available in select colors, contact Customer Service for details.

Conceal Trim System

Conceal Skirt Boards & Water Tables



Conceal Water Tables



Conceal T-Moulds




Precision Cut Trimboard

Precision Cut Trimboard 3/8" Smooth & Smooth/Woodgrain Reversible

Profile	Nominal Description	Actual Size	Length						
			8'	9'	10'	12'	14'	16'	18'
2920	3/8 x 3	3/8" x 2 1/2"					•		
2979	3/8 x 2 3/4	3/8" x 2 3/4"							•
2880	3/8 x 4	3/8" x 3 1/2"	•		•	•		•	•
2975	3/8 x 3 3/4	3/8" x 3 3/4"							•
2990	3/8 x 5	3/8" x 5"						•	
3068	3/8 x 5 3/8	3/8" x 5 3/8"							•
2881	3/8 x 6	3/8" x 5 1/2"	•			•			•
2882	3/8 x 8	3/8" x 7 1/4"			•				•
2884	3/8 x 10	3/8" x 9 1/4"		•	•	•			•
2885	3/8 x 12	3/8" x 11 1/4"		•	•	•			
3009	3/8 x 12	3/8" x 12"	•						


* See Appendix for Pack Sizes and Weights. See Table of Contents for explanation of • & •



Reversible



Multiple Thicknesses



Multiple Widths

Precision Cut Trimboard

Precision Cut Trimboard 1/2" Smooth & Smooth/Woodgrain Reversible

Profile	Nominal Description	Actual Size	Length						
			8'	9'	10'	12'	14'	16'	20'
2873	1/2 x 4	1/2" x 3 1/2"				•	•	•	•
2874	1/2 x 6	1/2" x 5 1/2"		•		•			•
2875	1/2 x 8	1/2" x 7 1/4"	•		•	•			•
2876	1/2 x 10	1/2" x 9 1/4"				•	•		
2877	1/2 x 12	1/2" x 11 1/4"				•	•		
3078	1/2 x 14	1/2" x 14"					•		
2936	1/2 x 16	1/2" x 16"					•		

Precision Cut Trimboard 5/8" Smooth & Smooth/Woodgrain Reversible

Profile	Nominal Description	Actual Size	Length			
			8'	10'	12'	18'
3018	5/8 x 3	5/8" x 2 1/2"				•
2832	5/8 x 4	5/8" x 3 1/2"	•	•	•	•
2904	5/8 x 5	5/8" x 4 1/2"				•
2833	5/8 x 6	5/8" x 5 1/2"	•	•	•	•
2906	5/8 x 7	5/8" x 6 1/2"				•
2834	5/8 x 8	5/8" x 7 1/4"	•		•	•
2835	5/8 x 10	5/8" x 9 1/4"	•		•	•
2836	5/8 x 12	5/8" x 11 1/4"	•	•	•	•
2919	5/8 x 16	5/8" x 15 1/4"				•

* See Appendix for Pack Sizes and Weights. See Table of Contents for explanation of • & •

Precision Cut Trimboard

Precision Cut Trimboard 4/4" Smooth & Smooth/Woodgrain Reversible

Profile	Nominal Description	Actual Size	Length							
			7'	8'	10'	12'	14'	18'	20'	
2825	1 x 2	3/4" x 1 1/2"		•		•				
2898	1 x 3	3/4" x 2 1/2"							•	
2826	1 x 4	3/4" x 3 1/2"		•		•			•	•
2899	1 x 5	3/4" x 4 1/2"							•	•
2827	1 x 6	3/4" x 5 1/2"	•	•	•	•			•	•
2828	1 x 8	3/4" x 7 1/4"		•		•			•	
2829	1 x 10	3/4" x 9 1/4"		•		•	•	•	•	•
2830	1 x 12	3/4" x 11 1/4"				•			•	•
3004	1 x 16	3/4" x 15 1/4"							•	•
2912	1 x 16	3/4" x 15 1/2"							•	
2951	1 x 18	3/4" x 18"							•	

Precision Cut Trimboard 5/4" Smooth & Smooth/Woodgrain Reversible

Profile	Nominal Description	Actual Size	Length			
			10'	12'	18'	20'
2866	5/4 x 4	1" x 3 1/2"		•	•	•
2901	5/4 x 5	1" x 4 1/2"			•	•
2965	5/4 x 4 5/8	1" x 4 5/8"		•		
2867	5/4 x 6	1" x 5 1/2"	•	•	•	•
2868	5/4 x 8	1" x 7 1/4"			•	•
2869	5/4 x 10	1" x 9 1/4"			•	•
2870	5/4 x 12	1" x 11 1/4"			•	•
3003	5/4 x 16	1" x 15 1/4"				•
2913	5/4 x 15 1/2	1" x 15 1/2"			•	•

* See Appendix for Pack Sizes and Weights. See Table of Contents for explanation of • & •

Precision Cut Trimboard

Precision Cut Trimboard 6/4" Smooth & Smooth/Woodgrain Reversible

Profile	Nominal Description	Actual Size	Length				
			8'	10'	12'	18'	20'
9747	6/4 x 4	1 1/4" x 3 1/2"	•	•	•	•	•
9748	6/4 x 6	1 1/4" x 5 1/2"	•	•	•	•	•
9749	6/4 x 8	1 1/4" x 7 1/4"	•	•	•	•	•
9750	6/4 x 10	1 1/4" x 9 1/4"	•	•	•	•	•
9751	6/4 x 12	1 1/4" x 11 1/4"	•	•	•	•	•
9799	6/4 x 16	1 1/4" x 15 1/4"	•	•	•	•	•

Precision Cut Trimboard 8/4" Smooth & Smooth/Woodgrain Reversible

Profile	Nominal Description	Actual Size	Length
			18'
9753	8/4 x 4	1 1/2" x 3 1/2"	•
9754	8/4 x 6	1 1/2" x 5 1/2"	•
9755	8/4 x 8	1 1/2" x 7 1/4"	•
9756	8/4 x 10	1 1/2" x 9 1/4"	•
9757	8/4 x 12	1 1/2" x 11 1/4"	•

* See Appendix for Pack Sizes and Weights. See Table of Contents for explanation of • & •

Sheet Board

Sheet Board
White



Profile	Actual Size	Length									
		8'	9'	10'	12'	14'	16'	18'	20'	24'	
9912	1/4 x 4'	•		•	•						
2878	3/8 x 4'	•	•	•	•	•		•	•		
2871	1/2 x 4'	•	•	•	•	•	•	•	•		
2838	5/8 x 4'	•	•	•	•	•	•	•	•	•	
2837	3/4 x 4'	•		•	•	•		•	•		
2864	1 x 4'	•		•	•	•	•	•	•	•	
9752	1 1/4 x 4'	•		•	•			•	•		
9758	1 1/2 x 4'	•		•	•			•			

Sheet Board
Sand Dune - Color Through



Profile	Nominal Description	Actual Size	Length
2838	5/8 x 48 Sheet Board	5/8" x 48"	18' •

* See Appendix for Pack Sizes and Weights. See Table of Contents for explanation of • & •

Reversible



Available in Smooth or Woodgrain




Nickel Gap Shiplap, Beadboard & Wainscoting

Nickel Gap/Shiplap, Beadboard & Wainscoting

Profile	Description	Dimensions	Length							
			7'	8'	9'	10'	12'	16'	18'	
2352	5 1/2" Bead Board – One Sided Only	3/8" x 5 1/2"		•				•	•	
9734	6" Bead Board – Reversible	1/2" x 5 3/4"		•			•	•	•	•
9735	6" Bead Board Hi Heat – Reversible	1/2" x 5 3/4"							•	•
9913	6" Bead Board	3/4" x 5 3/4"								•
9830	6" Nickel Gap Shiplap – Reversible	5/8" x 5 1/2"				•	•	•		•
9834	8" Nickel Gap Shiplap – Reversible	5/8" x 7 1/8"				•	•	•		•
2764	Wainscot Cap	3/4" x 1 3/4" with 1/2" Rabbet	•	•						
2566	Wainscot Cap	1 x 3 with 7/16" Rabbet		•						
9825	Wainscot Beaded/Nickel Gap – Reversible	5/16" x 7 5/16"		•						
9836	Craftsman Rail/Base Trim	5/8" x 3 1/2"		•						
9952	Reversible Nickel Gap/V Grooved Plank	3/4" x 5 1/2"							•	•

* See Appendix for Pack Sizes and Weights. See Table of Contents for explanation of • & •



Column Wraps

Profile	Description	Inside Dimension	Outside Dimension	Length/Height		
				8' 6"	10'	12'
9807	4 X 4 Column Wrap	3 3/4" x 3 3/4"	4 3/4" x 4 3/4"	•	•	•
9811	6 X 6 Column Wrap	5 3/4" x 5 3/4"	6 3/4" x 6 3/4"	•	•	•
9815	8 X 8 Column Wrap	8 1/2" x 8 1/2"	9 1/2" x 9 1/2"	•	•	•
9829	12 X 12 Column Wrap	10 1/4" x 10 1/4"	11 1/4" x 11 1/4"	•	•	•
9854	4 X 4 Contractor Cap/Base Set	4 7/8"	6 1/8"	5 1/2"		
9850	4 X 4 Traditional Cap/Base Set	4 7/8"	6 1/8"	6 5/8"		
9858	4 X 4 Craftsman Cap/Base Set	4 7/8"	6 1/8"	5 3/4"		
9855	6 X 6 Contractor Cap/Base Set	5 7/8"	8 1/8"	6 1/2"		
9851	6 X 6 Traditional Cap/Base Set	5 7/8"	8 1/8"	7 5/8"		
9859	6 X 6 Craftsman Cap/Base Set	5 7/8"	8 1/8"	6 3/4"		
9856	8 X 8 Contractor Cap/Base Set	9 5/8"	10 7/8"	7 1/2"		
9852	8 X 8 Traditional Cap/Base Set	9 5/8"	10 7/8"	8 5/8"		
9860	8 X 8 Craftsman Cap/Base Set	9 5/8"	10 7/8"	7 3/4"		
9857	12 X 12 Contractor Cap/Base Set	11 3/8"	12 5/8"	7 1/2"		
9853	12 X 12 Traditional Cap/Base Set	11 3/8"	12 5/8"	8 5/8"		
9861	12 X 12 Craftsman Cap/Base Set	11 3/8"	12 5/8"	7 3/4"		

Available Colors:





NEW: White columns also available in Woodgrain Texture.



* See Appendix for Pack Sizes and Weights. See Table of Contents for explanation of • & •

Column Wraps


Contractor Series



Traditional Series



Craftsman Series



Garage Door Trim

Uniflex™ Garage Door ThermoStop® & Mouldings

Profile	Description	Dimensions	Length								
			7'	8'	9'	10'	12'	14'	16'	17'	18'
2149	2" Standard Uniflex	7/16" x 2"	•	•	•	•	•	•	•		•
3029	2 5/8" Retro Fit Uniflex	7/16" x 2 5/8"							•	•	•
2591	3 1/4" Architectural Uniflex	7/16" x 3 1/4"							•	•	•
2448*	2" Brickmould RM 180	1 1/4" x 2"	•	•	•	•			•	•	•
9841*	7 1/2" Garage Door Trim	3/8" x 7 1/2"			•					•	

* See Appendix for Pack Sizes and Weights. See Table of Contents for explanation of • & •

Garage Door ThermoStop® Top Colors



We frequently update our ThermoStop® palette to match the latest color trends. Here is a sampling of our most popular colors.



*Contact Customer Service for Color Availability

Garage Door Trim

Uniflex™ Garage Door ThermoStop® & Mouldings



Window & Door Trim

Brickmould & J Channel




Profile	Description	Dimensions
2448	RM 180 Brick Mould	1 1/4" x 2"
7351	RM 180 J Channel Brick Mould	1 1/4" x 2"; 7/8" Pocket
7360	Screen Groove Brick Mould	1 1/4" x 2"
7371	Brick Mould w/Nail Fin	1 1/4" x 2"; 1" Nail Fin
7526	RM 180 Flat Back Brick Mould	1 1/4" x 2"
2622	West Coast Brick Mould	7/8" x 1 1/4"
7252	Florida Brick Mould	3/4" x 1 5/8"
7216	Williamsburg Brick Mould	1 1/4" x 3 1/4"
7467	5/4 x 4 J-Channel Casing	1 1/8" x 3 1/2"
7651	5/4 x 6 J-Channel Casing	1 1/8" x 5 1/2"

Profile	Length										
	7'	8'	9'	10'	12'	14'	16'	17'	17'6"	18'	
2448	•	•	•	•		•	•	•	•	•	
7351	•	•		•	•	•		•		•	
7360						•					
7371	•				•			•		•	
7526	•	•		•		•		•		•	
2622	•							•	•		
7252	•	•		•				•	•		
7216					•	•	•	•		•	
7467		•		•	•		•			•	
7651							•				

* See Appendix for Pack Sizes and Weights. See Table of Contents for explanation of • & •

Window & Door Trim

Brickmould & J Channel



Mouldings



Crown Moulding

Profile	Description	Dimensions	Projection	Spring Angle	Length		
					8'	12'	16'
2853	3" Crown - RM 53	9/16" x 2 3/4"	1.539	38°			•
2435	4" Crown - RM49	9/16" x 3 5/8"	2.062	38°	•	•	•
7541	4 1/2" Crown - RM 48	11/16" x 4 1/4"	2.5	52°			•
2592	5" Crown - RM 47	11/16" x 4 5/8"	2.784	38°	•	•	•
7491	6" Crown - RM 45	9/16" x 5 1/4"	3.187	52°			•
7662	8" Crown	1" x 8"	5.625	45°			•
9824	8" Crown	1" x 7 1/2"	5.156	45°	•	•	•
7158	Rams Crown	1 3/8" x 2 1/16"	1.375	—	•	•	•
7960	One Piece Crown	2 3/4" x 3 1/2"	2.75	45°		•	•
7712	Deco Crown	1 1/2" x 1 7/8"	1.5	45°	•		•
7714	Pediment	2" x 2 7/8"	2	—			•
7661	6" Crown	45/64" x 6"	4.375	45°			•

* See Appendix for Pack Sizes and Weights. See Table of Contents for explanation of • & •

Mouldings

Crown Moulding



Mouldings

Sill & Sill Noses, Transom & Jamb Extensions




Profile	Description	Dimensions	Length						
			7'	10'	12'	14'	16'	17'	18'
7117	Sill	1 1/4" x 4 9/16" - 14°	•		•	•	•	•	
7717	Sill Nose	1 3/16" x 2" - 14°			•		•		
7640	Sill Nose	2 1/4" x 2 3/4" - 14°					•		
2345	Sill Nose	1 1/2" x 1 5/8" - 16°		•	•		•		•
7118	Sill Nose	1 3/8" x 1 5/16" - 14°	•		•	•	•	•	
7435	Sill Nose	1 3/4" x 2 3/8" - 14°			•				•
7631	Sill Nose	1 3/4" x 2" - 14°				•	•		
2496	Sill Nose	1 1/2" x 1 3/8" - 14°			•				
7213	Transom Sill	1 1/4" x 4 9/16" - 16°		•	•		•		
7806	Transom Sill	1 1/4" x 6 9/16" - 6°			•				
2388	Louver Sill	1 1/4" x 3 1/2" - 12°							•
2915	Louver Slat	3/4" x 3 1/2"							•

* See Appendix for Pack Sizes and Weights. See Table of Contents for explanation of • & •

Ask about our custom cut-to-length, mitering and fabrication.

Mouldings

Sill & Sill Noses, Transom & Jamb Extensions



Mouldings

Door Jambs, Transom & Jamb Extensions













Profile	Description	Dimensions	Length							
			7'	8'	10'	12'	14'	16'	17'	18'
7181	4 9/16" Entry Door Jamb	1 1/4" x 4 9/16"	•		•		•		•	
7251	5 1/4" Entry Door Jamb	1 1/4" x 5 1/4"			•				•	
7241	6 9/16" Entry Door Jamb	1 1/4" x 6 9/16"	•		•		•		•	
7193	Astragal	1 1/2" x 3 1/4"	•	•			•			
7155	Astragal	1 5/8" x 3 1/4" CTL								
2430	Horizontal Mull	1" x 1 3/8"					•	•	•	
2424	Mull Casing	1" x 1 3/8"	•	•		•	•	•	•	
7464	Transom Sash	1 3/8" x 2 1/2"							•	
7623	Top Rail Sash	1 3/8" x 2"				•	•	•		
7160	Jamb Extender	5/8" x 2 13/16"			•		•	•		
7417	Jamb Extender	5/8" x 4 5/16"								•
7159	Jamb Extender	5/8" x 4 13/16"						•		
7205	Jamb Extender	11/16" x 2 9/16"							•	
7206	Jamb Extender	11/16" x 4 9/16"							•	
2497*	5 7/8" Flat Jamb	11/16" x 5 7/8"	•		•				•	
2709*	5 7/8" Flat Utility Trim	5/16" x 5 7/8"		•					•	

* See Appendix for Pack Sizes and Weights. See Table of Contents for explanation of • & •

Ask about our custom cut-to-length, mitering and fabrication.

Mouldings

Door Jambs, Transom & Jamb Extensions



Mouldings






Quarter Rounds, Cove & Stops

Profile	Description	Dimensions	Length								
			7'	8'	9'	10'	12'	14'	16'	18'	
2024	Quarter Round RM 108	1/2" x 1/2"		•				•		•	
5111	Quarter Round RM 107	5/8" x 5/8"		•				•			
2689	Quarter Round RM 105	3/4" x 3/4"		•		•		•		•	
2258	Bead Mould	3/8" x 1/2"	•	•	•						
2021	Scotia Cove RM 93	3/4" x 3/4"		•			•	•	•	•	•
2046	Shoe Mould	5/16" x 3/4"		•			•	•		•	•
2141	Shoe Mould/Scribe	1/2" x 1 1/8"					•				
2803	Shoe Mould	1/4" x 1/2"	•	•	•						
2329	Stop	5/8" x 1 3/4"									•
2330	Stop	5/8" x 5/8"		•				•	•		•
2349	Stop	9/16" x 1 1/4"							•		
2357	Stop	3/4" x 1 1/8"								•	•

* See Appendix for Pack Sizes and Weights. See Table of Contents for explanation of • & •

Mouldings

Quarter Rounds, Cove & Stops



Mouldings



Decorative Trim

Profile	Description	Dimensions	Length							
			7'	8'	9'	10'	12'	14'	16'	
2850	Parting Bead	1/4" x 7/8"		•				•		
2851	Parting Bead	1/4" x 1 1/8"		•				•		
7788	Colonial Stop RM 947	3/8" x 1 1/4"	•	•		•		•		
7719	Outside Corner RM 205	1 1/8" x 1 1/8"		•	•			•		•
5165	Outside Corner 1565	7/8" x 7/8"		•						
6577	Outside Corner RM 206	1 1/16" x 1 1/16"		•						
2450	Base Cap RM 164	1 1/16" x 1 1/8"		•				•		•
9785	Base Cap RM 166	1 1/16" x 1 1/8"								•
2759	Deco Trim	1/2" x 1"		•		•				•
2363	Screen Trim	3/4" x 1"		•				•	•	
2018	Lattice	1/4" x 1 9/16"	•	•				•		•
6510	Lattice	1/4" x 1 3/4"	•							
9732	Finish Trim	1 25/32" x 1 7/64"						•		

* See Appendix for Pack Sizes and Weights. See Table of Contents for explanation of • & •

Mouldings

Decorative Trim



Mouldings

Drip Caps, Back Bands & Panel Mould

Profile	Description	Dimensions	Length			
			8'	12'	16'	18'
2598	Bed Mould RM 75	9/16" x 1 9/16"	•	•	•	
2449	1 5/8" Drip Cap RM 197	1 1/16" x 1 5/8"	•	•	•	
2791	2" Drip Cap RM 187	1 1/16" x 2"				•
7152	Back Band 3/4" Relief RM 124	1 3/8" x 1 7/16"	•	•	•	
7709	Back Band 5/8" Relief RM 407	1 1/4" x 1 7/16"				•
7710	Back Band 1" Relief RM 413	1 5/8" x 1 7/16"				•
7901	Shingle Band Mould RM 217	1 1/16" x 1 3/4"	•			•
7937	Shingle Band Mould RM 3045	1 3/8" x 2 3/4"				•
7202	Rake Mould RM 287	1" x 2"	•	•	•	
2599	Shingle Mould RM 210	1 1/16" x 1 5/8"	•	•	•	
7714	Pediment	2" x 2 7/8"	•	•	•	
9724	Decorative Mull Cap	1 1/16" x 1 3/4"				•




Rail & Balusters

Profile	Description	Dimensions	Length					
			6'	8'	10'	12'	14'	16'
2536	Baluster	1 1/4" x 1 1/4"			•		•	•
2542	Baluster	1 1/2" x 1 1/2"		•	•	•		•
2535	Top Rail	1 1/2" x 3 5/16"	•	•	•	•		•
2537	Bottom Rail	1 3/4" x 3 9/16"	•	•	•	•		•



* See Appendix for Pack Sizes and Weights. See Table of Contents for explanation of • & •

Mouldings

Drip Caps, Back Bands & Panel Mould



Rail & Balusters



Mouldings




Casing

Profile	Description	Dimensions	Length								
			7'	8'	9'	12'	14'	16'	17'	18'	19.5'
2590	Back Band Casing 4 1/2"	1 3/16" x 4 1/2"		•	•	•	•	•	•	•	
7255	Bendable Back Band Casing 4 1/2"	1 3/16" x 4 1/2"						•			
2852	New Adams Casing 3 1/2"	1" x 3 1/2"						•		•	
7216	Williamsburg Casing 3 1/4"	1 1/4" x 3 1/4"				•	•	•	•	•	
7884	Williamsburg Casing Bendable	1 1/4" x 3 1/4"					•			•	
2369	RB3 Casing 3 1/2" RM 523	1" x 3 1/2"		•				•		• •	
5445	Colonial Casing 2 1/4" LRM 356	5/8" x 2 1/4"	•								
2342	Casing 2 1/4" RM 376	1 1/16" x 2 1/4"						•			
2355	Colonial Casing 2 1/4" RM 356	1 1/16" x 2 1/4"		•		•	•	•			
2991	Bendable Casing 2 1/4" RM 356	1 1/16" x 2 1/4"					•	•			
2331	Ranch Casing 2 1/4" RM 329	1 1/16" x 2 1/4"		•		•					
5913	Ranch Casing 2 1/4" RM 328	9/16" x 2 1/4"	•				•				
2440	Casing 2 1/2" RM 351 Bendable	1 1/16" x 2 1/2"		•			•	•			
2343	Colonial Casing 3 1/4" RM 445	5/8" x 3 1/4"		•				•		•	
7939	Colonial Bendable Casing RM 445	5/8" x 3 1/4"							•		
2746	Bendable Casing 3 1/2" RM 444	5/8" x 3 1/2"	•					•		•	
7263	Bendable Casing 3 1/2"	1 1/16" x 3 1/2"						•	•		
2716	Bendable Casing 3 1/2"	5/8" x 3 1/2"							•		

* See Appendix for Pack Sizes and Weights. See Table of Contents for explanation of • & •

Mouldings

Casing





Mouldings

Base & Chair Rail

Profile	Description	Dimensions	Length		
			8'	12'	16'
5106	Ranch Base 2 1/2"	7/16" x 2 1/2"	•		
6761	Base/Casing Combo 2 3/4"	1/2" x 2 3/4"	•		
5523	Colonial Base 3 1/4" LRM 623	7/16" x 3 1/4"	•		
7527	Base RM 623 3 1/4" RM 623	9/16" x 3 1/4"	•	•	•
7861	Heirloom Base 5" Embossed	7/16" x 5"	•		
6610	Royal Base 5"	7/16" x 5"			•
9789	Column Wrap Base 8 7/16"	5/8" x 8 7/16"	•	•	•
5390	Chair Rail 2 5/8" RM 390	11/16" x 2 5/8"	•		

* See Appendix for Pack Sizes and Weights. See Table of Contents for explanation of • & •



1. Do you have installation instruction videos?

We have many installation videos on YouTube. Please follow the link below:
<https://www.youtube.com/user/RoyalBuildingProduct>

2. Can you use interior mouldings outside?

The only PVC interior mouldings that can't be used outdoors are the decorative woodgrain laminated interior mouldings. All other white cellular PVC products can be used for interior and exterior applications.

3. What colors are available?

Our exterior trim & mouldings are available in white. Our garage door products come in several Colors from white to hunter green*. A full list is available from your customer service representative.

*2018 Color palette is changing. Please contact customer service for up-to-date offering.

Brickmold and Jambs are available in white, almond, sandstone and chocolate brown.

4. What lengths do your trim & mouldings come in?

Exterior trim & mouldings are available in 7' to 20' lengths. Interior mouldings are typically 7' to 12' lengths.

5. Can you install the mouldings around the shower or bathtub?

Yes. Our mouldings are water proof and do not promote the growth of mold or mildew.

6. Can you attach a screen door to a PVC door frame?

Yes, follow the manufacturer's recommendations.

7. Does cellular PVC trim require special code approval?

Typically no special codes are required – always check with building codes.

8. Can PVC be used as a structural component such as framing?

PVC cannot be used as a structural product in load bearing applications. PVC boards must always be supported by wood or other structural materials. Additionally you can install PVC at or below surface grade? Our product is perfect for ground contact application and below grade installation requirements.

9. How do I clean and remove scratches?

If the scratches are not too deep, you can use Windex and Mr. Clean MAGIC ERASER, (or Scotch-Brite® Non-Scratch Scrub Sponge). Apply the cleaner. Use the eraser or sponge, and rub in circular and up and down motions, until scratches are buffed out. This takes some time, depending on the severity of the scratches. You can also use Turtle Wax® Rubbing Compound to remove surface scratches. Clean the product after buffing the out the scratches.

There are many cleaners on the market that will work for cleaning PVC:

- Windex® 409 Glass and Surface Cleaner® Spic & Span Cinch®
- Fantastik All-Purpose®
- Fantastik Oxy Power Multi-Purpose Cleaner®
- Clorox Clean-Up®
- Glass Plus®
- DeckMAX®
- M1 House Wash®
- LA's Totally Awesome® All-Purpose Cleaner

CUTTING & MILLING

10. How should I cut the trim and mouldings?

Royal Trim & Mouldings should be cut with a carbide tip blade with 80 teeth or more. It is important to make the cuts quickly. We also have found that you can lightly spray the blade with cooking spray or furniture polish as a lubricant to avoid excessive build up on the blade. **NOTE: Do not spray the mouldings as this will affect paint adhesion.**

11. What type of routing or milling bits should I use?

Use standard woodworking carbide-tipped router bits. Secure the trim to a bench or table when routing to minimize "chatter". Once the routing is complete, the cut can be smoothed using 220-320 grit sandpaper. This will help seal the cut edge and make it more resistant to dirt. After routing, to seal the exposed cells you can:

- a. Sand the exposed cells with a 320 grit sandpaper
- b. Paint the exposed area with a high quality 100% acrylic latex paint

FAQs

12. What do you recommend for ripping boards or sheet stock?

Safety First – Please follow manufacturer’s instructions on safe operation of saws and other milling or routing tools. Use a good, sharp carbide tipped saw blade. Make sure the product is secure while ripping. After ripping or milling or to seal the exposed cells on precision cut trim boards, you can:

- a. Sand the exposed cells with 320 grit sand paper and then wipe them with solvent like acetone (must follow solvent manufacturer’s safety instructions). Just wiping the exposed area with a solvent will not completely seal the edges, but solvents do tend to soften or melt the cells, helping to seal them from debris.
- b. Sand the exposed cells with 320 grit sandpaper.
- c. Paint the exposed area with a high quality 100% acrylic latex trim paint.

FASTENING & JOINING

13. How do I manage expansion and contraction of PVC trim mouldings?

- a. PVC expands and contracts many times greater than wood.
- b. The main consideration is to plan for lengthwise expansion and contraction in boards longer than 12 feet. If not accounted for, PVC trim can buckle or develop unsightly gaps. The key element is to choose the right joints to fasten in place while allowing other joints to move. The movement can be concealed with a shiplap joint or by leaving space for the board to expand behind a butt joint or a feature board.
- c. If there will be an outside miter or a fastened joint at both ends of a trim run that is 12 feet or longer, use two boards connected with a shiplap joint to allow the boards to move without exposing the material underneath the joint.
- d. For outside corners, cement and mechanically fasten mitered outside corners together to keep them from opening up as the boards move.
- e. For inside corners you can use butt joints to hide movement, but you must leave a gap at the end of the longer piece.
- f. To use scarf joints, you must allow for movement in the run. PVC trimboards can be cemented together at the joint and the boards will move as one. Allow for movement with a shiplap.
- g. On longer runs, to account for movement, the more the trim is fastened and bonded, the less it will move. Also, you must double fasten on both sides of “pinned” joints.
- h. In temperatures above 80°F, the board joints should be tight.
- i. In temperatures of 40°F to 60°F, leave 1/8 inch of space.
- j. And when it’s less than 40°F degrees outside, provide for 3/16 inch between boards.

14. Do you have to predrill before nailing?

If nailing product at 40°F or below, predrilling is required.

15. How do you fasten trim & mouldings?

There are several manufacturers that produce fasteners specifically intended for use with cellular PVC. (See list below). You can also use fasteners designed for wood trim. They should have thin shanks, blunt points and full round heads. Fasteners should penetrate 1½” into substrate. Fasteners should be positioned no less than ¾” or more than 2” from end of boards. Fasteners must be weather resistant, such as stainless steel. For interior trim, such as casing, base, quarter round and crown, use 16 gauge finish nails, 6d or 8d finish nails. Pneumatic guns can be used - rubber bumpers on the nail gun tooling will protect the moulding. Air pressure should be adjusted based upon gun, temperature, substrate (80-100 psi is typical). Always use the least pressure necessary to drive the nail into the product. Trim should be fastened to a flat solid surface. In cold weather below 40°F, predrilling may be necessary. Do not use brads or wire nails. Staples can only be used to fasten beaded planking.

Recommended Screws:

- Fasten Master Cortex® Hidden Fastening System (screw and PVC plug system)
- Starborn Pro Plug® System (screw and PVC plug system)
- Simpson Strong-Tie® Trim-Head Stainless Steel Screw
- GRK Fasteners FIN/Trim Finishing Trim Head Screws (ClimateCoated® or Phoenix Stainless Steel)
- Kreg Blue-Kote™ Pocket-Hole Screws (for assembling trim with pocket-holes)
- #8 gauge TrimTop 305 SS with sharp type 17 piercing point by Fasten Master
- 305 SS Headcote #7 or #8 trim screws with auger points

For Concrete/Masonry/Brick: – Apply masonry adhesive sealant (always follow manufacturer’s instructions) to the surface of concrete first. Lay the trim board/sheet and secure with Tapcon masonry fasteners.

16. What should I use to fill screw or nail holes and or cracks?

- a. Sashco Big Stretch High Performance Elastic sealant
- b. Dap® All Purpose Painters Putty®
- c. Sherwin Williams Shrink Free Spackling®
- d. Extreme Adhesives Bond and Fill®
- e. Crackshot High-Performance Spackling Paste

17. What caulk & adhesives do you recommend?

You can use an acrylic, urethane, or polyurethane caulk Mechanical fasteners are always required. User needs to follow manufacturer's instructions. Adhesives or caulking are not covered by our warranty. Listed below are manufacturers that have formulated adhesives/ caulking to work with:

PVC to PVC

- ZeVo 1 Part Cellular PVC Adhesive® for use with Royal Building Products
- FastCap 2P-10 Adhesive & Activator
- Extreme Adhesives PVC Trim Welder®
- OSI PVC Trim Bond® Liquid Nails Fuze*It®
- Liquid Nails® 501 Siding & Trim Construction Adhesive
- NPC Solar Seal® 900
- Weld-On® 705 by IPS
- Christy's Red Hot White Vinyl Adhesive®
- Quality Transparent PVC Cement
- DAP RapidFuse
- MasterSeal® NP1

PVC to Wood

- NPC Solar Seal® 900
- Liquid Nails Fuze*It®
- Liquid Nails® LN950 Construction Adhesive
- MasterSeal® NP1

PVC to Masonry

- NPC Solar Seal® 900
- Liquid Nails® LN950 Construction Adhesive
- Liquid Nails Fuze*It®

For PVC to Steel

- NPC Solar Seal® 900
- Liquid Nails Fuze*It®
- Liquid Nails® LN950 Construction Adhesive

PAINTING & COATING PVC

18. Does cellular PVC trim and/or cellular PVC require painting?

No. Cellular PVC trim does not require painting but, like any cellular PVC product, it will weather over time and painting will enhance these beautiful products to maintain color consistency for many years. Our cellular trim products are ready for painting and require very little preparation. Painting with a good quality, vinyl safe 100% Acrylic Latex paint will further protect products to maintain color consistency for many years. There are several paint manufacturers that will warranty their coating products on cellular PVC trim for 20 years or more. Our Warranty does not cover painted finishes or coating applied to the product by the original purchaser or any third party.

To match our P546 White Trim, users can use:

- a. Sherwin Williams off-the-shelf exterior latex Resilience (Satin) 6404-13530 Extra White. This is a very close color match and is readily available.
- b. Sherwin Williams exterior latex Emerald (Satin) Custom Color Match

CUSTOM SHER-COLOR MATCH				
CCE*COLORANT	OZ	32	64	128
L1-Blue	-	-	-	1
R2-Maroon	-	-	-	1
Y3-Yellow	-	-	-	1

(This is a Sherwin-Williams non-returnable custom color match and may need to be special ordered. Sherwin-Williams cautions that to assure consistent color always order enough paint to complete the job and intermix all containers of the same color before application. Mixed colors may vary slightly from color strip or color chip or color match.)

FAQs

19. If I do paint, what type of paint should I use?

For light colors with a light reflective value (LRV) of 57 or higher, we recommend a high quality 100% acrylic latex or acrylic blend paint developed for trim. Coating manufacturers can and will specify the LRV for its color palette.

For dark colors, with a light reflective value (LRV) of 56 or lower, it is imperative that an approved solar reflective coating is used. These paints are typically referred to as "vinyl safe" paints, or heat reflective coatings for vinyl. Failure to use the proper coatings specific to dark colors will result in heat distortion and buckling to any cellular PVC.

Based upon the questions that we receive, it is apparent that many people are not educated regarding dark colors, heat buildup Benjamin Moore Revive® and Sherwin-Williams VinylSafe® technology.

Sherwin-Williams and Benjamin Moore carry exterior paint various product lines. Sherwin-Williams VinylSafe® Technology and Benjamin Moore Revive® are options in these product line. Sherwin-Williams VinylSafe®, and Benjamin Moore Revive are low heat buildup color pigment packages that can be used used with cellular PVC.

For Sherwin Williams, this specialized coating is not automatically a feature in the paint products where VinylSafe® is available. VinylSafe® MUST BE SPECIFIED AS AN OPTION when having paint mixed, using Sherwin-Williams Emerald®, Duration®, Resilience®, SuperPaint® latex paints, or SnapDry™ Door & Trim Paint.

Summary:

After significant experience and testing, using solar reflective coatings such as Benjamin Moore Revive and Sherwin-Williams VinylSafe® will give the user best coating solution for dark colors. Our warranty does not cover painted finishes or coating applied to the product by the original purchaser or any third party. However, if the proper coatings are used, and the coating manufacturer's instructions are followed, users will be successful.

No priming is necessary, however the finish quality is greatly enhanced if you use a premium 100% acrylic latex paint for trim with a built in primer. In addition, a primer may be required under the paint manufacturer's warranty.

Always follow the paint manufacturer's instructions. In preparation for painting, we recommend product should be clean, dry and free of dirt, grease and or any other surface contaminants before painting. Adhesion can be improved through light scuff sanding. Product should be cleaned with a mild detergent or denatured alcohol and soft clean rag or bristle brush.

Before you start, it's a good idea to fill all nails holes or blemishes that may occur during installation. Although scuff sanding is not needed, light sanding of the surface, with fine sandpaper can help remove blemishes prior to painting, but only if needed. For smoothing ripped or routed edges the milled or ripped surface can be smoothed using 220-320 grit sand paper. This will greatly assist to remove saw marks (or cutter head marks) and somewhat seal the milled surface and make it easier to paint.

Failure to adhere to manufacturer's recommended guidelines for application of painted surfaces may void any paint manufacturer's warranty.

Here are a few paint manufacturer recommendations:

<i>Sherwin Williams</i>	<i>PPG</i>	<i>Benjamin Moore</i>
Super Paint®	Manor Hall®	Revive®
Duration®		Moorlife®
Green Seal®		

20. What can I use as a cap trim when using 9734 or 2352 Beadboard as Wainscot?

Here is one creative way to use just a few profiles to create a cap trim for these parts: Use trimboards to create a rail and a cap. You can also use 2021 Scotia Cove to give the trim a more finished look.

Appendix

S4S

Profile	Description	Length	Pieces/ Unit	Pound/ Ft	Pound/ Each	Pound/ Unit
2150.....	1-1/2 S4S 16'	16	286	0.22	4	1,004
7827.....	5/8X3 1/2 S4S TRIMBOARD 18'	18	130	0.51	9	1,199
7828.....	5/8X5 1/2 S4S TRIMBOARD 18'	18	80	0.8	14	1,159
7829.....	5/8X7 1/4 S4S TRIMBOARD 18'	18	60	1	19	1,145
7830.....	5/8X9 1/4 S4S TRIMBOARD 18'	18	50	1	24	1,218
7831.....	5/8X11 1/4 S4S TRIMBOARD 18'	18	40	2	30	1,185
7832.....	1X2 S4S TRIMBOARD 18'	18	270	0.25	5	1,232
7833.....	1X3 S4S TRIMBOARD 18'	18	162	0.44	8	1,280
7834.....	1X4 S4S TRIMBOARD 18'	18	117	0.61	11	1,294
7871.....	1X5 S4S TRIMBOARD 18'	18	90	0.79	14	1,280
7835.....	1X6 S4S TRIMBOARD 18'	18	72	0.97	17	1,251
7836.....	1X8 S4S TRIMBOARD 18'	18	54	1	23	1,237
7837.....	1X10 S4S TRIMBOARD 18'	18	45	2	30	1,315
7838.....	1X12 S4S TRIMBOARD 18'	18	36	2	36	1,280
7874.....	5/4X3 S4S TRIMBOARD 18'	18	126	0.59	11	1,327
7840.....	5/4X4 S4S TRIMBOARD 18'	18	91	0.82	15	1,342
7875.....	5/4X5 S4S TRIMBOARD 18'	18	70	1	19	1,327
7841.....	5/4X6 S4S TRIMBOARD 18'	18	56	1	23	1,298
7842.....	5/4X8 S4S TRIMBOARD 18'	18	42	2	31	1,283
7843.....	5/4X10 S4S TRIMBOARD 18'	18	35	2	39	1,364
7844.....	5/4X12 S4S TRIMBOARD 18'	18	28	3	47	1,327

SurEdge

Profile	Description	Length	Pieces/ Unit	Pound/ Ft	Pound/ Each	Pound/ Unit
9905.....	1/2X3 SUREEDGE TRIMBOARD 18'	18	504	0.30	5	2,703
9906.....	1/2X4 SUREEDGE TRIMBOARD 18'	18	312	0.42	8	2,343
9907.....	1/2X6 SUREEDGE TRIMBOARD 18'	18	192	0.66	12	2,266
9908.....	1/2X8 NET SUREEDGE TRIMBOARD 18'	18	120	0.95	17	2,060
9759.....	5/8X4 SUREEDGE TRIMBOARD 18'	18	130	0.53	10	1,249
9760.....	5/8X6 SUREEDGE TRIMBOARD 18'	18	80	0.83	15	1,198
9761.....	5/8X8 SUREEDGE TRIMBOARD 18'	18	60	1	20	1,180
9762.....	5/8X10 SUREEDGE TRIMBOARD 18'	18	50	1	25	1,251
9763.....	5/8X12 SUREEDGE TRIMBOARD 18'	18	40	2	30	1,216
9784.....	5/8X14 SUREEDGE TRIMBOARD 18'	18	30	2	36	1,073
9764.....	5/8X16 SUREEDGE TRIMBOARD 18'	18	24	2	41	987
9766.....	1X3 SUREEDGE TRIMBOARD 18'	18	162	0.46	8	1,345
9767.....	1X4 SUREEDGE TRIMBOARD 18'	18	117	0.64	12	1,348
9768.....	1X5 SUREEDGE TRIMBOARD 18'	18	90	0.82	15	1,327
9769.....	1X6 SUREEDGE TRIMBOARD 18'	18	72	1	18	1,293
9770.....	1X8 SUREEDGE TRIMBOARD 18'	18	54	1	24	1,274
9771.....	1X10 SUREEDGE TRIMBOARD 18'	18	45	2	30	1,351
9772.....	1X12 SUREEDGE TRIMBOARD 18'	18	36	2	36	1,313
9788.....	1X14 SUREEDGE TRIMBOARD 18'	18	21	2	43	901
9773.....	1X16 SUREEDGE TRIMBOARD 18'	18	24	3	49	1,184
9774.....	5/4X3 SUREEDGE TRIMBOARD 18'	18	133	0.62	11	1,473
9775.....	5/4X4 SUREEDGE TRIMBOARD 18'	18	91	0.85	15	1,398
9776.....	5/4X5 SUREEDGE TRIMBOARD 18'	18	70	1	20	1,376
9777.....	5/4X6 SUREEDGE TRIMBOARD 18'	18	56	1	24	1,341
9778.....	5/4X8 SUREEDGE TRIMBOARD 18'	18	42	2	31	1,321
9779.....	5/4X10 SUREEDGE TRIMBOARD 18'	18	35	2	40	1,401
9780.....	5/4X12 SUREEDGE TRIMBOARD 18'	18	28	3	49	1,361
9781.....	5/4X16 SUREEDGE TRIMBOARD 18'	18	24	4	66	1,579
9781.....	5/4X16 SUREEDGE TRIMBOARD 18'	18	24	4	66	1,579

Sand Dune

9759.....	5/8X4 SUREEDGE TRIMBOARD 18'	18	130	0.53	10	1249
9760.....	5/8X6 SUREEDGE TRIMBOARD 18'	18	80	0.83	15	1198
9761.....	5/8X8 SUREEDGE TRIMBOARD 18'	18	60	1	20	1180
9762.....	5/8X10 SUREEDGE TRIMBOARD 18'	18	50	1	25	1251
9763.....	5/8X12 SUREEDGE TRIMBOARD 18'	18	40	2	30	1216
9764.....	5/8X16 SUREEDGE TRIMBOARD 18'	18	24	2	41	987

Appendix

Prefinished Trim

Profile	Description	Length	Pieces/ Pack	Pound/ Ft	Pound/ Each	Pound/ Pack
9759.....	5/8X4 SUREEDGE TRIMBOARD 16'	16	2	0.53	9	17
9760.....	5/8X6 SUREEDGE TRIMBOARD 16'	16	2	0.83	13	27
9761.....	5/8X8 SUREEDGE TRIMBOARD 16'	16	2	1	17	35
9762.....	5/8X10 SUREEDGE TRIMBOARD 16'	16	2	1	22	44
9763.....	5/8X12 SUREEDGE TRIMBOARD 16'	16	2	2	27	54
9767.....	1X4 SUREEDGE TRIMBOARD 16'	16	2	0.64	10	20
9769.....	1X6 SUREEDGE TRIMBOARD 16'	16	2	1	16	32
9770.....	1X8 SUREEDGE TRIMBOARD 16'	16	2	1	21	42
9771.....	1X10 SUREEDGE TRIMBOARD 16'	16	2	2	27	53
9772.....	1X12 SUREEDGE TRIMBOARD 16'	16	2	2	32	65
9775.....	5/4X4 SUREEDGE TRIMBOARD 16'	16	2	0.85	14	27
9777.....	5/4X6 SUREEDGE TRIMBOARD 16'	16	2	1	21	43
9778.....	5/4X8 SUREEDGE TRIMBOARD 16'	16	2	2	28	56
9779.....	5/4X10 SUREEDGE TRIMBOARD 16'	16	2	2	36	71
9780.....	5/4X12 SUREEDGE TRIMBOARD 16'	16	2	3	43	86

Conceal

Profile	Description	Length	Pieces/ Unit	Pound/ Ft	Pound/ Each	Pound/ Unit
9718.....	ROYAL OSC 3/4X5-11/16" 20'	20	48	2	32	1,531
7971.....	ROYAL OSC 3-11/16" 20'	20	72	2	35	2,516
7973.....	ROYAL OSC 5-11/16" 20'	20	48	3	54	2,593
7972.....	ROYAL OSC 3-11/16" 20'	20	72	2	35	2,516
7970.....	ROYAL OSC 5-11/16" 20'	20	48	3	54	2,593
9706.....	5/4X4" J-CHANNEL TRIM 18'	18	26	0.85	15	399
7994.....	5/4X6" J-CHANNEL TRIM 18'	18	24	1	24	575
9707.....	5/4X8" J-CHANNEL TRIM 18'	18	36	2	31	1132
9914.....	5/4X10" J-CHANNEL TRIM 18'	18	35	2	40	1401
9794.....	5/4X4 CONCEAL WNDW SRND 18'	18	90	0.85	15	1383
9795.....	5/4X6 CONCEAL WNDW SRND 18'	18	56	1	24	1341
9800.....	5/4X4 TRADTNL WNDW SRND 18'	18	90	0.85	15	1383
9801.....	5/4X6 TRADTNL WNDW SRND 18'	18	56	1	24	1341
9816.....	1X4 TRADTNL WNDW SRND 18'	18	117	0.64	12	1348
9817.....	1X5 TRADTNL WNDW SRND 18'	18	90	0.82	15	1327
9818.....	1X6 TRADTNL WNDW SRND 18'	18	72	1	18	1293
9703.....	1X6 SUREEDGE TB (CEL)18'	18	72	1	18	18
9704.....	4/4X8" SKIRT BOARD 18'	18	54	1	24	1274
9705.....	4/4X10" SKIRT BOARD 18'	18	12	2	30	360
9700.....	5/4X4" SKIRT BOARD 18'	18	78	0.85	15	1198
7993.....	5/4X6" SKIRT BOARD 18'	18	48	1	24	1149
9701.....	5/4X8" SKIRT BOARD 18'	18	36	2	31	1132
9796.....	WATER TABLE 16'	16	204	0.51	8	1668
9719.....	STONE WATER TABLE 16'	16	144	1	20	2821
9833.....	5/8X4" CONCEAL T-MOLD 18'	18	130	0.53	10	19
9835.....	5/4X4 CONCEAL T-MOLD 18'	18	90	0.85	15	1383
9831.....	5/4X6" CONCEAL T-MOLD 18'	18	56	1	25	1389
9832.....	5/4X8" CONCEAL T-MOLD 18'	18	42	2	31	1321
9953V.....	V-STONE WATER TABLE	16	2	0.9	14.2	28.4

PCT

Profile	Description	Length	Pieces/ Pack	Pound/ Ft	Pound/ Each	Pound/ Pack
2920.....	3/8X3" PRCN CUT BRD 14'	14	406	0.27	4	1524
2979.....	3/8X2 3/4 PRCN CUT BRD 18'	18	435	0.25	4	1925
2880.....	1X4 X 3/8 PRCN CUT BRD 18' E1	18	208	0.31	6	1171
2975.....	3/8X3 3/4 PRCN CUT BRD 18'	18	319	0.34	6	1925
2990.....	3/8X5 PRCN CUT BRD 16' E1	16	232	0.45	7	1659
3068.....	3/8X5 3/8 PRCN CUT BRD 18' E0	18	232	0.48	9	2007
2881.....	1X6 X 3/8 PRCN CUT BRD 18' E0	18	256	0.49	9	2266
2882.....	1X8 X 3/8 PRCN CUT BRD 18' E1	18	192	0.65	12	2240
2884.....	1X10 X 3/8 PRCN CUT BRD 18' E0	18	160	0.83	15	2382
2885.....	1X12 X 3/8 PRCN CUT BRD 12' E0	12	64	1	13	824
3009.....	FULL 12" X 3/8 PRCN CUT BRD 8'	8	64	1	9	549
2873.....	1X4 X 1/2 PRCN CUT BRD 18'-3"	18.25	156	0.42	8	1188
2874.....	1X6 X 1/2 PRCN CUT BRD 18' E0	18	96	0.66	12	1133
2875.....	1X8 X 1/2 PRCN CUT BRD 18'	18	144	0.86	16	2240
2876.....	1X10 X 1/2 PRCN CUT BRD 10' E1	10	60	1	11	662
2877.....	1X12 X 1/2 PRCN CUT BRD 12' E1	12	48	1	16	772
3078.....	1/2X14" SHEETBOARD 12'	12	105	2	20	2040
2936.....	1X16 X 1/2 PRCN CUT BRD 10' E0	10	54	2	19	1030
3018.....	5/8X2 1/2 PRCN CUT BRD 18'	18	272	0.37	7	1824
2832.....	1X4 X 5/8 PRCN CUT BRD 18'	18	130	0.52	9	1220
2904.....	1X5 X 5/8 PRCN CUT BRD 18' E0	18	190	0.67	12	2293
2833.....	1X6 X 5/8 PRCN CUT BRD 18'	18	80	0.82	15	1180
2906.....	6.5 X 5/8 PRCN CUT BRD 18' E0	18	133	1	17	2319
2834.....	1X8 X 5/8 PRCN CUT BRD 18'	18	60	1	19	1167
2835.....	1X10 X 5/8 PRCN CUT BRD 18'	18	50	1	25	1240
2836.....	1X12 X 5/8 PRCN CUT BRD 18'	18	40	2	30	1207
2919.....	1X16X5/8 PRCN CUT BRD 18'	18	27	2	40	1087
2825.....	1X2 X 3/4 CHOICETRIM BOARD 8'	8	420	0.27	2	901
2898.....	1X3 X 3/4 PRCN CUT BRD 18' E0	18	162	0.45	8	1303
2826.....	1X4 X 3/4 PRCN CUT BRD 18'	18	117	0.63	11	1318
2899.....	1X5 X 3/4 PRCN CUT BRD 18'	18	90	0.8	14	1303
2827.....	1X6 X 3/4 PRCN CUT BRD 18'	18	72	1	18	1274
2828.....	1X8 X 3/4 PRCN CUT BRD 18'	18	54	1	23	1260
2829.....	1X10 X 3/4 PRCN CUT BRD 18'	18	45	2	30	1340
2830.....	1X12 X 3/4 PRCN CUT BRD 18'	18	36	2	36	1304
3004.....	3/4X15 1/4 PRCN CUT BRD 18' E0	18	21	3	49	1031
2912.....	1X16 X 3/4 PRCN CUT BRD 18'	18	27	3	51	1390
2951.....	3/4X18 PRCN CUT BRD 18' E0	18	28	3	58	1622
2866.....	5/4X4 PRCN CUT BRD 18'	18	91	0.83	15	1367
2901.....	5/4X4-1/2 PRCN CUT BRD 20'	20	70	1	21	1502
2965.....	1X 4-5/8" W 1" PCN CT BD 8' E0	8	99	1	9	873
2867.....	1X6 X 1 PRCN CUT BRD 18' E1	18	56	1	24	1322
2868.....	5/4X8 PRCN CUT BRD 18'	18	42	2	31	1307
2869.....	5/4X10 PRCN CUT BRD 18'	18	35	2	40	1389
2870.....	5/4X12 PRCN CUT BRD 18'	18	28	3	48	1352
3003.....	1X15 1/4 PRCN CUT BRD 20'	20	21	4	73	1527
2913.....	5/4X16 PRCN CUT BRD 18'	18	21	4	69	1442
9747.....	6/4X4 PRCN CUT BRD 18'	18	65	1	20	1331
9748.....	6/4X6 PRCN CUT BRD 18'	18	40	2	32	1287
9749.....	6/4X8 PRCN CUT BRD 18'	18	30	2	42	1273
9750.....	6/4X10 PRCN CUT BRD 18'	18	25	3	54	1353
9751.....	6/4X12 PRCN CUT BRD 18'	18	20	4	66	1317
9799.....	6/4X16 PRCN CUT BRD 18'	18	18	6	103	1854
9753.....	8/4X4 PRCN CUT BRD 18'	18	65	1	23	1491
9754.....	8/4X6 PRCN CUT BRD 18'	18	48	2	36	1730
9755.....	8/4X8 PRCN CUT BRD 18'	18	30	3	48	1425
9756.....	8/4X10 PRCN CUT BRD 18'	18	25	3	61	1516
9757.....	8/4X12 PRCN CUT BRD 18'	18	20	4	74	1475

Appendix

Sheet

Profile	Description	Length	Pieces/ Pack	Pound/ Ft	Pound/ Each	Pound/ Pack
9912.....	1/4X48" SHEET BOARD 12'	12.....	30.....	3.....	34.....	1030
2878.....	3/8X48 SHEET BOARD 18' E0.....	18.....	32.....	4.....	77.....	2472
2871.....	1/2X48 SHEET BOARD 18'.....	18.....	24.....	6.....	103.....	2472
2838.....	5/8X48 SHEET BOARD 18' E0.....	18.....	19.....	7.....	129.....	2446
2837.....	3/4X48 SHEET BOARD 18' E1.....	18.....	17.....	9.....	154.....	2626
2864.....	5/4X48 SHEET BOARD 18'.....	18.....	12.....	12.....	206.....	2472
9752.....	6/4X48 SHEET BRD 18'.....	18.....	10.....	16.....	281.....	2809
9758.....	1-1/2X48 SHEET BOARD 18'.....	18.....	6.....	17.....	315.....	1888

P644-E0 SAND DUNE

2837.....	3/4X48 SHEET BOARD 8'.....	8.....	32.....	9.....	69.....	2,197
2838.....	5/8X48 SHEET BOARD 18'.....	18.....	32.....	7.....	129.....	4,120

Nickel Gap & Bead Board

Profile	Description	Length	Pieces/ Pack	Pound/ Ft	Pound/ Each	Pound/ Pack
2352.....	PLANKING 16'.....	16.....	7.....	0.36.....	6.....	40
9734.....	CONCEAL 1/2" BEAD PLANK 18'.....	18.....	4.....	0.63.....	11.....	46
9735.....	REVERSIBLE BEAD PLANK 18' HH.....	18.....	4.....	0.65.....	12.....	47
9913.....	1X6 BEAD BOARD 18'.....	18.....	72.....	0.94.....	17.....	1212
9830.....	5/8X6" NICKEL GAP/SHIPLAP 18'.....	18.....	2.....	0.82.....	15.....	30
9834.....	5/8X8" NICKEL GAP/SHIPLAP 18'.....	18.....	2.....	1.....	19.....	39
2764.....	WAINSCOT CAP 8'.....	8.....	12.....	0.15.....	1.....	14
2566.....	FRAME 16'.....	16.....	6.....	0.51.....	8.....	49
9825.....	NICKEL GAP BEADED PLANK 8'.....	8.....	3.....	0.44.....	4.....	11
9952.....	REVERSIBLE NICKEL GAP/V-GROOVE PLANK 16'.....	16.....	72.....	0.98.....	15.7.....	1274
9952.....	REVERSIBLE NICKEL GAP/V-GROOVE PLANK 18'.....	18.....	72.....	0.98.....	17.7.....	1132

Column Wrap

Profile	Description	Length	Pieces/ Pack	Pound/ Ft	Pound/ Each	Pound/ Pack
9807.....	4X4 COLUMN WRAP 10'.....	10.0.....	24.....	2.....	23.....	558
9811.....	6X6 COLUMN WRAP 10'.....	10.....	15.....	3.....	33.....	492
9815.....	8X8 COLUMN WRAP 10'.....	10.....	8.....	5.....	46.....	367
9829.....	12X12 COLUMN WRAP 10'.....	10.....	6.....	5.....	54.....	325
9854.....	4X4 CONTRACTOR CAP/BASE SET.....	1.....	8.....			
9850.....	4X4 TRADITIONAL CAP/BASE SET.....	1.....	8.....			
9858.....	4X4 CRAFTSMAN CAP/BASE SET.....	1.....	8.....			
9855.....	6X6 CONTRACTOR CAP/BASE SET.....	1.....	5.....			
9851.....	6X6 TRADITIONAL CAP/BASE SET.....	1.....	5.....			
9859.....	6X6 CRAFTSMAN CAP/BASE SET.....	1.....	5.....			
9856.....	8X8 CONTRACTOR CAP/BASE SET.....	1.....	8.....			
9852.....	8X8 TRADITIONAL CAP/BASE SET.....	1.....	8.....			
9860.....	8X8 CRAFTSMAN CAP/BASE SET.....	1.....	8.....			
9857.....	12X12 CONTRACTOR CAP/BASE SET.....	1.....	6.....			
9853.....	12X12 TRADITIONAL CAP/BASE SET.....	1.....	6.....			
9861.....	12X12 CRAFTSMAN CAP/BASE SET.....	1.....	6.....			

Garage Door System

Profile	Description	Length	Pieces/ Pack	Pound/ Ft	Pound/ Each	Pound/ Pack
2149.....	THERMO STOP 18'	18.....	15.....	0.19.....	3.....	52
3029.....	THERMO STOP 18'	18.....	10.....	0.23.....	4.....	41
2591.....	THERMO STOP 18'	18.....	10.....	0.28.....	5.....	51
2448.....	BRICK MOULD 18'	18.....	6.....	0.49.....	9.....	53
9841.....	3/8X7 1/2 GDT SUREEDGE 18'	18.....	2.....	0.67.....	12.....	24

Window & Door

Profile	Description	Length	Pieces/ Pack	Pound/ Ft	Pound/ Each	Pound/ Pack
2448.....	BRICK MOULD 18'	18.....	378.....	0.49.....	9.....	3333
7351.....	J CHANNEL BRICK MOULD 17'	17.....	4.....	0.45.....	8.....	31
7360.....	BRICK MOULD 14'	14.....	378.....	0.5.....	7.....	2657
7371.....	BRICK MOULD W/NAIL FIN 18'	18.....	238.....	0.57.....	10.....	2457
7526.....	BRICK MOULD 17'	17.....	6.....	0.46.....	8.....	47
2622.....	BRICK MOULD 17'	17.....	475.....	0.2.....	3.....	1578
7252.....	BRICK MOULD 8'	8.....	15.....	0.25.....	2.....	30
7216.....	WILLIAMSBURG CASING 8'	8.....	4.....	0.7.....	6.....	23
7467.....	J CHANNEL CASING 18'	18.....	4.....	0.87.....	16.....	62
7651.....	J CHANNEL CASING 16'	16.....	2.....	2.....	27.....	54

Crown

Profile	Description	Length	Pieces/ Pack	Pound/ Ft	Pound/ Each	Pound/ Pack
2853.....	CROWN 16'	16.....	10.....	0.27.....	4.....	43
2435.....	CROWN 16'	16.....	10.....	0.36.....	6.....	57
7541.....	CROWN 16'	16.....	4.....	0.55.....	9.....	35
2592.....	CROWN 8'	8.....	4.....	0.54.....	4.....	17
7491.....	CROWN 16'	16.....	4.....	0.61.....	10.....	39
7662.....	CROWN 16'	16.....	2.....	1.....	21.....	41
9824.....	8" CROWN 16'	16.....	2.....	1.....	19.....	38
7158.....	RAM CROWN 16'	16.....	6.....	0.48.....	8.....	46
7960.....	CROWN CAP 12'	12.....	4.....	0.98.....	12.....	47
7712.....	COLUMN TRIM 16'	16.....	6.....	0.47.....	8.....	45
7714.....	PEDIMENT 16'	16.....	2.....	0.95.....	15.....	30
7661.....	6" CROWN 8'	8.....	4.....	0.76.....	6.....	24

Sill & Sill Nose

Profile	Description	Length	Pieces/ Pack	Pound/ Ft	Pound/ Each	Pound/ Pack
7117.....	SILL 7'	7.....	4.....	1.....	8.....	30
7717.....	SILL NOSE 16'	16.....	6.....	0.54.....	9.....	52
7640.....	SILL 16'	16.....	2.....	1.....	23.....	46
2345.....	SILL NOSE 16'	16.....	10.....	0.42.....	7.....	66
7118.....	SILL NOSE 16'	16.....	12.....	0.32.....	5.....	61
7435.....	SILL NOSE 16'	16.....	2.....	1.....	17.....	35
7631.....	WINDOW SURROUND SILL 16'	16.....	6.....	0.81.....	13.....	78
7213.....	TRANSOM SILL 16'	16.....	153.....	0.93.....	15.....	2272
7806.....	TRANSOM SILL 12'	12.....	102.....	1.....	15.....	1521
2388.....	LOUVER SILL 17'	17.....	192.....	0.65.....	11.....	2108
2915.....	LOUVER SLAT 17'	17.....	8.....	0.48.....	8.....	65
2496.....	SILL NOSE 16'	16.....	224.....	0.41.....	7.....	1459

Appendix

Door Jambs, Transom & Extensions

Profile	Description	Length	Pieces/ Pack	Pound/ Ft	Pound/ Each	Pound/ Pack
7181.....	ENTRY DR JAMB 7'	7	2	1	9	18
7251.....	ENTRY DOOR JAMB 17'	17	117	2	27	3106
7241.....	ENTRY DR JAMB PRS 82"	13.667	48	2	28	1350
7193.....	ASTRAGAL 8'	8	234	0.83	7	1549
7155.....	ASTRAGAL 8'-2"	8.166	140	0.92	8	1054
2430.....	HORIZONTAL MULLION 12'	12	384	0.25	3	1148
2424.....	VERTICAL MULLION 7'	7	384	0.27	2	719
7464.....	TRANSOM SASH 16'	16	255	0.62	10	2538
7623.....	TOP RAIL 12'	12	168	0.4	5	799
7160.....	JAMB EXTENDER 16'	16	240	0.55	9	2097
7417.....	JAMB EXTENDER 18'	18	4	0.99	18	71
7159.....	JAMB EXTENDER 16'	16	124	0.85	14	1681
7205.....	JAMB EXTENDER 12'	12	240	0.59	7	1700
7206.....	JAMB EXTENDER 12'	12	144	1	12	1751
2497.....	DOOR JAMB (EMB) 7'	7	4	0.69	5	19
2709.....	FLAT TRIM (EMBOSSSED) 8'	8	10	0.43	3	34

Quarter Rounds, Covets & Stops

Profile	Description	Length	Pieces/ Pack	Pound/ Ft	Pound/ Each	Pound/ Pack
2024.....	QUARTER ROUND 8'	8	20	0.04	0.34	7
5111.....	QUARTER ROUND 8'	8	20	0.06	0.50	10
2689.....	QUARTER ROUND 8'	8	25	0.08	0.66	16
2258.....	EXTERIOR BEAD 8'	8	25	0.03	0.27	7
2021.....	INSIDE CORNER 8'	8	20	0.07	0.52	10
2046.....	SHOE MOULDING 12' LWM127	12	3000	0.05	0.58	1746
2141.....	SCRIBE 10'	10	36	0.1	0.99	36
2803.....	SHOE 8' NARROW	8	50	0.03	0.23	12
2329.....	HEAD GLASS STOP 16'	16	384	0.26	4	1598
2330.....	HEADSTOP 8'	8	20	0.09	0.69	14
2349.....	BLIND STOP 14'	14	29	0.17	2.38	69
2357.....	STOP 16'	16	24	0.25	4	96
1154.....	STOP 7'	7	30	0.13	0.92	28
2625.....	INTERIOR STOP 16'	16	50	0.08	1	61
9887.....	WHITE PVC SHOE 126 8'	8	15	0.06	0.5	8
W109.....	STOP 7'	7	225	0.05	0.32	71

Decorative Trim

Profile	Description	Length	Pieces/ Pack	Pound/ Ft	Pound/ Each	Pound/ Pack
2850.....	7/8" PARTING BEAD 8'	8	25	0.04	0.34	9
2851.....	1-1/4" PARTING BEAD 8'	8	25	0.06	0.49	12
7788.....	COLONIAL STOP 7'	7	20	0.09	0.60	12
7719.....	OUTSIDE CORNER 8'	8	15	0.11	0.90	14
6577.....	11/16 OUTSIDE CORNER 8'	8	20	0.05	0.41	8
2450.....	BASE CAP 8'	8	18	0.1	0.82	15
9785.....	BASE CAP 8' RM166	8	35	0.1	0.78	27
2759.....	TRIM 8'	8	30	0.1	0.82	25
2363.....	STOP 8'	8	20	0.2	1.57	31
2018.....	LATTICE 8'	8	40	0.09	0.70	28
6510.....	LATTICE 8'	8	20	0.09	0.76	15
9890.....	WHITE PVC BACKBAND L280 8'	8	15	0.11	0.92	14
2566.....	WAINSCOT CAP 8' DECO	8	8	0.51	4	33
2764.....	WAINSCOT CAP 8'	8	12	0.15	1	14

Drip Caps, Backbands & Panel Mould

Profile	Description	Length	Pieces/ Pack	Pound/ Ft	Pound/ Each	Pound/ Pack
2598.....	BED MOULDING 8'	8	25	0.14	1	28
2449.....	DRIP CAP 8'	8	25	0.16	1	32
2791.....	DRIP CAP 8' RM187	8	12	0.21	2	20
7152.....	BACK BAND 8'	8	10	0.38	3	31
7709.....	5/8" BACKBAND 16'	16	8	0.33	5	43
7710.....	1" BACKBAND 8'	8	8	0.45	4	29
7901.....	BAND MOULDING 8'	8	16	0.2	2	26
7937.....	SHINGLE BAND MOULDING 8'	8	2	0.59	5	9
7202.....	RAKE MOULD 8'	8	10	0.37	3	30
2599.....	SHINGLE MOULD 8'	8	10	0.18	1	14
7714.....	PEDIMENT 8'	8	2	0.95	8	15
9724.....	DECORATIVE HALF ROUND 8'	8	17	0.15	1	21
2536.....	BALUSTER 10'	10	10	0.33	3	33
2542.....	2X2 BOARD 8'	8	10	0.6	5	48
2535.....	TOP RAIL 10'	10	180	0.46	5	8298
2537.....	BOTTOM RAIL 8'	8	66	0.83	7	438

Casing

Profile	Description	Length	Pieces/ Pack	Pound/ Ft	Pound/ Each	Pound/ Pack
2590.....	CASING 8'	8	4	0.77	6	25
7255.....	CASING 16'	16	162	1	16	2605
2852.....	ADAMS CASING 8' PM520	8	4	0.58	5	19
7216.....	WILLIAMSBURG CASING 8'	8	4	0.70	6	23
7884.....	WILLIAMSBURG CASING 14'	14	234	0.91	13	2972
2369.....	RB3 CASING 16'	16	8	0.41	7	53
5445.....	COL CASING 7'	7	15	0.18	1	19
2342.....	COLONIAL CASING 8' RM376	8	16	0.27	2	34
2355.....	COLONIAL CASING 8'	8	12	0.25	2	24
2991.....	COLONIAL CASING 16'	16	10	0.34	5	54
2331.....	CASING 8'	8	10	0.25	2	20
5913.....	RANCH CASING 7'	7	15	0.16	1	17
2440.....	COLONIAL CASING 8' RM351	8	16	0.36	3	46
2343.....	COLONIAL CASING 8' RM445	8	8	0.33	3	21
7939.....	COL CASING (BENDABLE) 17'	17	270	0.47	8	2139
2746.....	CASING 8'	8	8	0.45	4	29
7263.....	BENDABLE CASING 17'	17	9	0.44	7	67
2716.....	CASING 16'	16	176	0.48	8	1362
9872.....	WHITE PVC COL CASING L444 7'	7	10	0.3	2	21
9879.....	WHITE PVC COL CASING 356 7'	7	10	0.18	1	13
2365.....	COLONIAL CASING 8' RM442	8	10	0.26	2	21
2428.....	WEST COAST CASING 8'	8	10	0.24	2	19
9877.....	WHITE PVC CASING E2E 7'	7.5	10	0.38	3	29
9883.....	WHT PVC CRAFTSMAN CASING E2E 7'	7	10	0.26	2	18
2351.....	COLONIAL CASING 8'	8	12	0.24	2	23

Base

Profile	Description	Length	Pieces/ Pack	Pound/ Ft	Pound/ Each	Pound/ Pack
5106.....	RANCH BASE 8'	8	10	0.2	2	16
6761.....	CASING/BASE 8'	8	10	0.21	2	17
5523.....	COLONIAL BASE 8'	8	10	0.26	2	21
7527.....	EXTERIOR BASE 8'	8	10	0.37	3	29
7861.....	HEIRLOOM BASE 8'	8	4	0.58	5	18
9789.....	8-3/8" COMBO BASE 8'	8	2	1	10	19
5390.....	CHAIR RAIL 8'	8	6	0.24	2	11
2566.....	WAINSCOT CAP 8' DECO	8	8	0.51	4	33
9836.....	CRAFTSMAN RAIL/BASE TRIM 8'	8	10	0.29	2	23
9869.....	WHITE PVC COL BASE L738 8'	8	5	0.78	6	31
9871.....	WHT PVC CRAFTSMAN BASE E1E 8'	8	10	0.33	3	26
9873.....	WHITE PVC COL BASE 620 8'	8	10	0.4	3	32
9874.....	WHITE PVC COL BASE 623 8'	8	10	0.3	2	24
9878.....	WHITE PVC CHAIRRAIL 390 8'	8	10	0.21	2	17

Appendix

Short Length Additions

Profile	Item #	Description	Finish/ Color	Length	Pieces/Pack
2007	5074551	LATTICE 8'	P546 WHT	8	20
2018	5098828	LATTICE 8'	P546 WHT	8	40
2021	5073487	INSIDE CORNER 8'	P546 WHT	8	20
2024	5073217	QUARTER ROUND 8'	7151 WHT	8	20
2046	5073276	SHOE MOULDING 8'	P546 WHT	8	50
2046	5073698	SHOE 8'	P546 WHT	8	20
2150	5098983	1X2 TRIMPLANK 8'	P546 WHT	8	10
2258	5099089	EXTERIOR BEAD 8'	P546 WHT	8	25
2330	5099151	HEADSTOP 8'	P546 WHT	8	20
2343	5773580	COLONIAL CASING 8' RM445	P546 WHITE	8	8
2351	5075061	COLONIAL CASING 8'	P546 WHT	8	12
2352	5099484	PLANKING 8'	P546 WHT	8	7
2355	5099564	COLONIAL CASING 8'	P546 WHT	8	12
2363	5773598	STOP 8'	P546 WHT	8	20
2365	5773601	COLONIAL CASING 8' RM442	P546	8	10
2369	5075175	RB3 CASING 8'	P546 WHT	8	4
2428	5773619	WEST COAST CASING 8'	P546	8	10
2435	5099919	CROWN 8'	P546 WHT	8	10
2440	5773627	COLONIAL CASING 8' RM351	P546 WHT	8	16
2448	5495911	BRICK MOULD 8'	P546 WHT	8	6
2449	5100431	DRIP CAP 8'	P546 WHT	8	25
2450	5495920	BASE CAP 8'	P546 WHT	8	18
2536	5773740	BALUSTER 8' 1-1/4X1-1/4"	P546 WHT	8	10
2542	5495946	2X2 BOARD 8'	P546 WHT	8	10
2566	5774638	WAINSCOT CAP 8' DECO	P546 WHT	8	8
2590	5101134	CASING 8'	P546 WHT	8	4
2592	5101281	CROWN 8'	P546 WHT	8	4
2598	5101345	BED MOULDING 8'	P546 WHT	8	25
2599	5101417	SHINGLE MOULD 8'	P546 WHT	8	10
2689	5101492	QUARTER ROUND 8'	P546 WHT	8	25
2709	5101652	FLAT TRIM (EMB) 8'	P546 WHT	8	8
2746	5774646	CASING 8'	P546 WHITE	8	8
2753	5774654	DECORATIVE TRIM 8'	P546 WHT	8	10
2759	5774662	TRIM 8'	P546 WHT	8	30
2764	5774671	WAINSCOT CAP 8'	P546 WHITE	8	12
2791	5774689	DRIP CAP 8' RM187	P546 WHITE	8	12
2803	5774697	SHOE 8' NARROW	P546 WHT	8	50
2837	5047561	3/4X48 SHEET BOARD 8'	P546-E0	8	17
2838	5047828	5/8X48 SHEET BOARD 8'	P546-E0-OEM	8	19
2838	5646610	5/8X48 SHEET BOARD 9' E0	P546-E0-OEM	9	32
2850	5774700	7/8" PARTING BEAD 8'	P546 WHT	8	25
2851	5774726	1-1/4" PARTING BEAD 8'	P546 WHITE	8	25
2852	5774734	ADAMS CASING 8' PM520	P546 WHT	8	4
2853	5774742	CROWN 8' RM53	P546 WHT	8	10
2871	5495268	1/2X48 SHEET BOARD 12'	P546-E0	12	12
2871	5048863	1/2X48 SHEET BOARD 9'	P546-E0-OEM	9	24
2878	5049284	3/8X48 SHEET BOARD 8' E0	P546-E0	8	50
2878	5629431	3/8X48 SHEET BOARD 9'	P546-E0-OEM	9	50

Short Length Additions

Profile	Item #	Description	Finish/ Color	Length	Pieces/Pack
5111.....	5073751.....	QUARTER ROUND 8'	P546 WHT	8.....	20
5390.....	5074121.....	CHAIR RAIL 8'	P546 WHT	8.....	6
5445.....	5074261.....	COLONIAL CASING 7'	P546 WHT	7.....	15
5523.....	5074439.....	COLONIAL BASE 8'	P546 WHT	8.....	10
7152.....	5102671.....	BACK BAND 8'	P546 WHT	8.....	10
7158.....	5646214.....	RAMS CROWN 8'	P546 WHT	8.....	6
7202.....	5102794.....	RAKE MOULD 8'	P546 WHT	8.....	10
7216.....	5774751.....	WILLIAMSBURG CASING 8'	P546 WHITE	8.....	4
7252.....	5102971.....	BRICK MOULD 8'	P546 WHT	8.....	15
7371.....	5774769.....	NAIL FIN BRICK MOULD 8'	P546 WHT	8.....	4
7491.....	5775753.....	CROWN 8' RM45	P546 WHITE	8.....	4
7527.....	5104044.....	EXTERIOR BASE 8'	P546 WHT	8.....	10
7541.....	5775067.....	CROWN 8' RM48	P546 WHT	8.....	4
7661.....	5775366.....	6" CROWN 8'	P546.....	8.....	4
7710.....	5775420.....	1" BACKBAND 8'	P546 WHITE	8.....	8
7712.....	5775438.....	COLUMN TRIM 8'	P546 WHI	8.....	6
7714.....	5775446.....	PEDIMENT 8'	P546 WHT	8.....	2
7719.....	5104360.....	OUTSIDE CORNER 8'	P546 WHT	8.....	15
7788.....	5104458.....	COLONIAL STOP 8'	P546 WHT	8.....	20
7828.....	5775577.....	5/8X6 S4S TRIMBOARD 8'	P546-E1	8.....	160
7828.....	5755904.....	5/8X6 S4S TRIMBOARD 8'	P546-E0-UPC	8.....	6
7829.....	5775585.....	5/8X7 1/4 S4S TRIMBOARD 8'	P546-E1	8.....	60
7830.....	5775593.....	5/8X9 1/4 S4S TRIMBOARD 8'	P546-E1	8.....	50
7831.....	5775606.....	5/8X11 1/4 S4S TRIMBOARD 8'	P546-E1	8.....	40
7832.....	5775614.....	1X2 S4S TRIMBOARD 8'	P546-E1	8.....	270
7833.....	5775622.....	1X3 S4S TRIMBOARD 8'	P546-E1	8.....	162
7834.....	5747744.....	1X4 S4S TRIMBOARD 8'	P546-E1-UPC	8.....	221
7835.....	5051632.....	1X6 S4S TRIMBOARD 8'	P546-E1-UPC	8.....	72
7836.....	5051878.....	1X8 S4S TRIMBOARD 8'	P546-E1-UPC	8.....	54
7837.....	5775631.....	1X10 S4S TRIMBOARD 8'	P546-E1	8.....	45
7838.....	5775649.....	1X12 S4S TRIMBOARD 8'	P546-E1	8.....	36
7840.....	5775665.....	5/4X4 S4S TRIMBOARD 8'	P546-E1	8.....	91
7841.....	5775673.....	5/4X6 S4S TRIMBOARD 8'	P546-E1	8.....	56
7842.....	5775681.....	5/4X8 S4S TRIMBOARD 8'	P546-E1	8.....	42
7843.....	5775702.....	5/4X10 S4S TRIMBOARD 8'	P546-E1	8.....	35
7844.....	5775690.....	5/4X12 S4S TRIMBOARD 8'	P546-E1	8.....	28
7861.....	5075095.....	BASE 8'	P546 WHT	8.....	4
7871.....	5775711.....	1X5 S4S TRIMBOARD 8'	P546-E1	8.....	90
7874.....	5775729.....	5/4X3 S4S TRIMBOARD 8'	P546-E1	8.....	126
7875.....	5775737.....	5/4X5 S4S TRIMBOARD 8'	P546-E1	8.....	70
7901.....	5104693.....	BAND MOULDING 8'	P546 WHT	8.....	16
7937.....	5775489.....	SHINGLE BAND MOULDING 8'	P546 WHT	8.....	2
7995.....	5075343.....	FLAT CASING 8'	P546 WHT	8.....	5
9724.....	5775497.....	DECORATIVE HALF ROUND 8'	P546 WHT	8.....	17
9734.....	5775500.....	REVERSIBLE BEAD BOARD 8'	P546 WHT	8.....	4
9785.....	5775518.....	BASE CAP 8' RM166	P546 WHT	8.....	35
9789.....	5775526.....	8-3/8" COMBO BASE 8'	P546 WHT	8.....	2
9824.....	5775534.....	7-1/2" CROWN 8'	P546 WHT	8.....	2
9825.....	5775542.....	NICKEL GAP BEADED PLANK 8'	P546 WHT	8.....	3
9830.....	5779893.....	5/8X6" NICKEL GAP/SIHLAP 8'	P546-E0-CT	8.....	2
9834.....	5779906.....	5/8X8" NICKEL GAP/SIHLAP 8'	P546-E0-CT	8.....	2

Reference

Profile	Page #	Profile	Page #	Profile	Page #	Profile	Page #	Profile	Page #	Profile	Page #	Profile	Page #
2018	34	2716	38	2899	16	7193	30	7834	4	9752	18	9816	10
2021	32	2746	38	2901	16	7202	36	7835	4	9753	17	9817	10
2024	32	2759	34	2904	15	7205	30	7836	4	9754	17	9818	10
2046	32	2764	19	2906	15	7206	30	7837	4	9755	17	9824	26
2141	32	2791	36	2912	16	7213	28	7838	4	9756	17	9829	20
2149	22	2803	32	2913	16	7216	38	7840	5	9757	17	9830	19
2150	4	2825	16	2915	28	7241	30	7841	5	9758	18	9831	12
2258	32	2826	16	2919	13	7251	30	7842	5	9759	6,8-9	9832	12
2329	32	2827	16	2920	14	7252	24	7843	5	9760	6,8-9	9833	12
2330	32	2828	16	2936	15	7255	38	7844	5	9761	6,8-9	9834	19
2331	38	2829	16	2951	16	7263	38	7861	40	9762	6,8-9	9835	12
2342	38	2830	16	2965	16	7351	24	7871	4	9763	6,8-9	9841	22
2343	38	2832	15	2975	14	7360	24	7874	5	9764	6,8	9850	20
2345	28	2833	15	2979	14	7371	24	7875	5	9766	6	9851	20
2349	32	2834	15	2990	14	7417	30	7884	38	9767	6,9	9852	20
2352	19	2835	15	2991	38	7435	28	7901	36	9768	6	9853	20
2355	38	2836	15	3003	16	7464	30	7937	36	9769	6,9	9854	20
2357	32	2837	18	3004	16	7467	24	7939	38	9770	6,9	9855	20
2363	34	2838	18	3009	14	7491	26	7960	26	9771	6,9	9856	20
2369	38	2850	34	3018	15	7526	24	7970	10	9772	6,9	9857	20
2388	28	2851	34	3029	22	7527	40	7971	10	9773	6	9858	20
2424	30	2852	38	3068	14	7541	26	7972	10	9774	7	9859	20
2430	30	2853	26	3078	15	7623	30	7973	10	9775	7,9	9860	20
2435	26	2864	18	5106	40	7631	28	7993	12	9776	7	9861	20
2440	38	2866	16	5111	32	7640	28	7994	10	9777	7,9	9912	18
2448	22,24	2867	16	5165	34	7651	24	9700	12	9778	7,9	9913	19
2449	36	2868	16	5390	40	7662	26	9701	12	9779	7,9	9914	10
2450	34	2869	16	5445	38	7709	36	9703	12	9780	7,9	9952	19
2497	30	2870	16	5523	40	7710	36	9704	12	9781	7	9953V	12
2535	36	2871	18	5913	38	7712	26	9705	12	9784	6		
2536	36	2873	15	6510	34	7714	36	9706	10	9785	34		
2537	36	2874	15	6577	34	7717	28	9707	10	9788	6		
2542	36	2875	15	6610	40	7719	34	9718	10	9789	40		
2566	19	2876	15	6761	40	7788	34	9719	12	9794	10		
2590	38	2877	15	7117	28	7806	28	9724	36	9795	10		
2591	22	2878	18	7118	28	7827	4	9734	19	9796	12		
2592	26	2880	14	7152	36	7828	4	9735	19	9799	17		
2598	36	2881	14	7155	30	7829	4	9747	17	9800	10		
2599	36	2882	14	7158	26	7830	4	9748	17	9801	10		
2622	24	2884	14	7159	30	7831	4	9749	17	9807	20		
2689	32	2885	14	7160	30	7832	4	9750	17	9811	20		
2709	30	2898	16	7181	30	7833	4	9751	17	9815	20		

WM® Series	RM Series	Royal Profile	Description	Dimensions	Page #
WM45	RM45	7491	6" Crown	.9 ¹ / ₁₆ " x 5 1 ¹ / ₄ "	26
WM47	RM47	2592	5" Crown	1 ¹ / ₁₆ " x 4 5 ⁵ / ₈ "	26
WM49	RM49	2435	4" Crown	.9 ¹ / ₁₆ " x 3 5 ⁵ / ₈ "	26
MW48	RM48	7541	4 1/2" Crown	1 ¹ / ₁₆ " x 4 1 ¹ / ₄ "	26
WM53	RM53	2853	3" Crown	.9 ¹ / ₁₆ " x 2 5 ⁵ / ₈ "	26
WM75	RM75	2598	Bed Mould	.9 ¹ / ₁₆ " x 1 7 ⁷ / ₈ "	36
WM93	RM93	2021	Scotia Cove	.3 ³ / ₄ " x 3 ³ / ₄ "	32
WM105	RM105	2689	Quarter Round	.3 ³ / ₄ " x 3 ³ / ₄ "	32
WM107	RM107	5111	Quarter Round	.5 ⁵ / ₈ " x 5 ⁵ / ₈ "	32
WM108	RM108	2024	Quarter Round	1 ¹ / ₂ " x 1 ¹ / ₂ "	32
WM142	RM142	7152	Back Band 3/4" Rabbet	1 3 ³ / ₈ " x 1 7 ⁷ / ₁₆ "	36
WM164	RM164	2450	Base Cap	1 ¹ / ₁₆ " x 1 1 ¹ / ₈ "	34
WM180	RM180	2448	Brick Mould	1 1 ¹ / ₄ " x 2"	22,24
WM187	RM187	2791	2" Drip Cap 1	1 ¹ / ₁₆ " x 2"	36
WM197	RM197	2449	1 5/8" Drip Cap	1 ¹ / ₁₆ " x 1 5 ⁵ / ₈ "	36
WM205	RM205	7719	Outside Corner	1 1 ¹ / ₈ " x 1 1 ¹ / ₈ "	34
WM206	RM206	6577	Outside Corner	1 ¹ / ₁₆ " x 1 ¹ / ₁₆ "	34
WM210	RM210	2599	Shingle Mould	1 ¹ / ₁₆ " x 1 5 ⁵ / ₈ "	36
WM217	RM217	7901	Shingle Band Mould	1 ¹ / ₁₆ " x 1 3 ³ / ₄ "	36
WM287	RM287	7202	Rake Mould	1" x 2"	36
WM328	RM328	5913	Ranch Casing	.9 ¹ / ₁₆ " x 2 1 ¹ / ₄ "	38
LWM356	LRM356	5445	Colonial Casing	.5 ⁵ / ₈ " x 2 1 ¹ / ₄ "	38
WM356	RM356	2355	Colonial Casing	1 ¹ / ₁₆ " x 2 1 ¹ / ₄ "	38
WM376	RM376	2342	Casing	1 ¹ / ₁₆ " x 2 1 ¹ / ₄ "	38
WM390	RM390	5390	Chair Rail	1 ¹ / ₁₆ " x 2 5 ⁵ / ₈ "	40
WM445	RM445	2343	Colonial Casing	.5 ⁵ / ₈ " x 3 1 ¹ / ₂ "	38
WM523	RM523	2369	RB3 Casing	1" x 3 1 ¹ / ₂ "	38
WM623	RM623	7527	Base RM 623	7 ⁷ / ₁₆ " x 3 1 ¹ / ₄ "	40
LWM623	LRM623	5523	Colonial Base	7 ⁷ / ₁₆ " x 3 1 ¹ / ₄ "	40
WM947	RM947	7788	Colonial Stop	.3 ³ / ₈ " x 1 1 ¹ / ₄ "	34

*RM" designation identical or similar to WM® Series Patterns. Some RM Series non-stocking.

Notes

Royal® Building Products exists for one reason: to push the limits of what every type of exterior can be. We strive for best-in-class manufacturing and industry-leading innovation. What drives us? Every homeowner who demands exteriors that add value, perform impeccably, look amazing and make their lives easier. Our goal is to bring more products, more styles, more technology, more design insight and more sustainable solutions to the attention of everyone who cares about creating the best exterior possible. Build Royal™

BuildTM



CELECT® CELLULAR COMPOSITE SIDING



ZURI® PREMIUM DECKING



ROYAL® TRIM & MOULDINGS



HAVEN® INSULATED SIDING



ROYAL® VINYL SIDING



ROYAL® SHUTTERS, MOUNTS & VENTS



ATLAS STONE™



PORTSMOUTH™ SHAKE & SHINGLES



CEDAR RENDITIONS™ ALUMINUM SIDING

 **ROYAL® Building Products**
A Westlake Company

For product warranty details, please visit RBPWarranty.com
© 2020 Royal Building Products

RoyalBuildingProducts.com

1.855.ROYAL85